Contents

Volume 33, Issue 1, July 2001

1 Instructions for authors

7 A coelectroporation method for the isolation of cryptic plasmids from *Lactococcus lactis* *N. Corneau, C. Dubé, G. LaPointe & É. Émond*

12 Optimization of carotenoid production from hyper-producing *Rhodotorula glutinis* mutant 32 by a factorial approach *P. Bhosale & R.V. Gadre*

17 A microwave-based method for nucleic acid isolation from environmental samples *M. Orsini & V. Romano-Spica*

21 Biodecolourization screening of synthetic dyes by four white-rot fungi in a solid medium: possible role of siderophores *R.C. Minussi, S.G. de Moraes, G.M. Pastore & N. Durán*

26 RAPD-PCR characterization of lactobacilli isolated from artisanal meat plants and traditional fermented sausages of Veneto region (Italy) *C. Andrighetto, L. Zampese & A. Lombardi*

31 Development of a rapid method for the detection of verocytotoxin-producing *Escherichia coli* (VTEC) *K.A. Bettelheim*

36 Immunomagnetic separation of *Escherichia coli* O26, O111 and O157 from vegetables *M. Šafařík ová & I. Šafařík*

40 Production of mutants of *Bacillus sphaericus* 2362 in continuous culture *M.A. Idachaba & P.L. Rogers*

45 Detection of extracellular bound proteinase in EPS-producing lactic acid bacteria cultures on skim milk agar *T. Pailin, D.H. Kang, K. Schmidt & D.Y.C. Fung*

50 Effect of *trans*-2-hexenal on the growth of *Aspergillus flavus* in relation to its concentration, temperature and water activity *F. Gardini, R. Lanciotti & M.E. Guerzoni*

56 Pleomorphism of the marine bacterium *Teredinobacter turnirae* *G.M. Ferreira, S.K. Ahuja, M.R. Sierks & A.R. Moreira*

61 Correlation between medium acidification and pathogenicity in environmental halophilic non-cholera vibrios *D. Ottaviani, I. Bacchiocchi, L. Masini, A. Carraturo, G.L. Russo, M. Giammarioli & G. Sbaraglia*

65 Differentiation of *Enterococcus* spp. by cell membrane fatty acid methyl ester profiling, biotyping and ribotyping *M.M. Lang, S.C. Ingham & B. H. Ingham*

71 Differentiation of industrial wine yeast strains using microsatellite markers *A. González Techera, S. Jubany, F.M. Carrau & C. Gaggero*

76 Optimization of submerged culture conditions for the mycelial growth and exo-biopolymer production by *Cordyceps militaris* *J.P. Park, S.W. Kim, H.J. Hwang & J.W. Yun*

82 Long-term preservation of strains of *Burkholderia cepacia* *Pseudomonas* spp. and *Strenotrophomonas maltophilia* isolated from patients with cystic fibrosis *J.E. Moore, A.B. Shaw, T. Stanley, M.J. Crowe & J.S. Elborn*

84 Effect of oral *Bacillus coagulans* administration on the density of vancomycin-resistant enterococci in the stool of colonized mice *C.J. Donskey, C.K. Hoyen, S.M. Das, S. Farmer, M. Dery & R.A. Bonomo*

89 Ethanol-induced dimorphism and lipid composition changes in *Mucor fragilis* CCMI 142 *I. Serrano, T. Lopes da Silva & J. Carlos Roseiro*

Volume 33, Issue 2, August 2001

95 Growth of *Escherichia coli* O157:H7 during sprouting of alfalfa seeds *D. Stewart, K. Reineke, J. Ulaszek, T. Fu & M. Tortorello*

100 Evaluation of spore extraction and purification methods for selective recovery of viable *Bacillus anthracis* spores *D.C. Dragon & R.P. Rennie*

106 Genetic diversity of *Saccharomyces cerevisiae* strains during the 24 h fermentative cycle for the production of the artisanal Brazilian *cachaça* *J.B. Guerra, R.A.C. Araújo, C. Pataro, G.R. Franco, E.S.A. Moreira, L.C. Mendonça-Hagler & C.A. Rosa*

112 Breeding of mycoparasitic *Trichoderma* strains for heavy metal resistance *L. Kredics, Z. Antal, L. Manczinger & E. Nagy*

117 Characterization of pectin lyase produced by an endophytic strain isolated from coffee cherries *C.C.H. Sakiyama, E.M. Paula, P.C. Pereira, A.C. Borges & D.O. Silva*

122 Evaluation of co-aggregation among *Streptococcus mitis*, *Fusobacterium nucleatum* and *Porphyromonas gingivalis* *M. Nagayama, M. Sato, R. Yamaguchi, C. Tokuda & H. Takeuchi*

126 Improved acid tolerance of a recombinant strain of *Escherichia coli* expressing genes from the acidophilic bacterium *Oenococcus oeni* *F. Morel, F. Delmas, M.-P. Jobin, C. Diviès & J. Guzzo*

131 Survival of faecal indicator bacteria in bovine manure incorporated into soil *M.M. Lau & S.C. Ingham*

137 Diversity of *Vibrio* spp. populations in several exhibition aquaria with a shared water supply *A.R. Blanch, M. Cerdà-Cuéllar & C. Hispano*

144 Mycotoxins inactivation by extrusion cooking of corn flour *D. Cazzaniga, J.C. Basílico, R.J. González, R.L. Torres & D.M. de Greef*

148 Influence of copper-alloying of austenitic stainless steel on multi-species biofilm development *J. Kielemoes & W. Verstraete*

153 Partial characterization of a bacteriocin produced by *Lactobacillus helveticus A. Bonadè, F. Murelli, M. Vescovo & G. Scolari*

159 Fermentation of pectin and glucose, and activity of pectin-degrading enzymes in the rumen bacterium *Lachnospira multiparus D. Dušková & M. Marounek*

164 Effect of copper on the degradation of phenanthrene by soil micro-organisms *J. Sokhn, F.A.A.M. De Leij, T.D. Hart & J.M. Lynch*

169 Polysaccharide production by a reduced pigmentation mutant of *Aureobasidium pullulans* NYS-1 *T.P. West & B. Strohfus*

Volume 33, Issue 3, September 2001

173 Comparative evaluation of four decontantamination protocols for the isolation of *Mycobacterium avium* subsp. *paratuberculosis* from milk *L. Dundee, I.R. Grant, H.J. Ball & M.T. Rowe*

178 Adhesion of the fish pathogen *Flavobacterium psychrophilum* to unfertilized eggs of rainbow trout (*Oncorhynchus mykiss*) and n-hexadecane *I.N. Vatsos, K.D. Thompson & A. Adams*

183 Utilization of chicory roots for microbial endoinulinase production *J.P. Park & J.W. Yun*

188 The ability of direct fluorescence-based two-colour assays to detect different physiological states of oral streptococci *E.-M. Decker*

193 Mitomycin-supplemented washed blood agar for the isolation of Shiga toxin-producing *Escherichia coli* other than O157:H7 *K. Sugiyama, K. Inoue & R. Sakazaki*

196 The mechanism of carbonate killing of *Escherichia coli* *G.N. Jarvis, M.W. Fields, D.A. Adamovich, C.E. Arthurs & J.B. Russell*

201 Autotrophic denitrification via a novel membrane-attached biofilm reactor *C.M. Ho, S.K. Tseng & Y.J. Chang*

206 Heteroduplex mobility assay of the D1/D2 region of the 26S rDNA for differentiation of *Saccharomyces* species *J.P. Ramos, P. Valente, R.A. de Souza, C.A. Rosa & O. Leoncini*

211 Effect of selected natural antimicrobials on Baker's yeast activity *T.-L. Pattison & A. von Holy*

216 Development of a 23S rRNA-based PCR assay for the identification of *Pasteurella multocida J.K. Miflin & P.J. Blackall*

222 The role of cellular polysaccharides in the formation and stability of aerobic granules *J.-H. Tay, Q.-S. Liu & Y. Liu*

227 Bactericidal effect of chlorine on *Mycobacterium paratuberculosis* in drinking water *L.B. Whan, I.R. Grant, H.J. Ball, R. Scott & M.T. Rowe*

232 A rapid twofold dilution method for microbial enumeration and resuscitation of uninjured and sublethally injured bacteria *D.H. Kang* & *G.R. Siragusa*

237 Detection of anthrax spores from the air by real-time PCR *S.-I. Makino, H.I. Cheun, M. Watarai, I. Uchida & K. Takeshi*

241 Screening for novel *cry* genes by hybridization *C.E. Beard, C. Ranasinghe & R.J. Akhurst*

246 Rapid enzymatic detection of *Escherichia coli* contamination in polluted river water *A.H. Farnleitner, L. Hocke, C. Beiwl, G.G. Kavka, T. Zechmeister, A.K.T. Kirschner & R.L. Mach*

Volume 33, Issue 4, October 2001

251 Utilization of prebiotic carbohydrates by yeasts of therapeutic relevance *G. Mitterdorfer, W. Kneifel & H. Viernstein*

256 Co-composting of pharmaceutical wastes in soil *T.F. Guerin*

264 Growth and production of biomass of *Rhodovulum sulfidophilum* in sardine processing wastewater *S.A. Azad, S. Vikineswary, K.B. Ramachandran & V.C. Chong*

269 Prevalence and antimicrobial susceptibility of thermophilic *Camplyobacter* in organic and conventional broiler flocks *O.E. Heuer, K. Pedersen, J.S. Andersen & M. Madsen*

275 Plasmid-mediated dimethoate degradation in *Pseudomonas aeruginosa* MCMB-427 *N.M. Deshpande, P.K. Dhakephalkar & P.P. Kanekar*

280 Biosurfactant-rhamnolipid effects on yeast cells *E. Vasileva-Tonkova, D. Galabova, E. Karpenko & A. Shulga*

285 Phenotype evaluation of *Bordetella bronchiseptica* cultures by urease activity and Congo red affinity *L.E. Friedman, B.N. Passerini de Rossi, M.T. Messina & M.A. Franco*

291 Differentiation of aflatoxin-producing and non-producing strains of *Aspergillus flavus* group *G. Criseo, A. Bagnara & G. Bisignano*

296 A comparison of nucleic acid amplification techniques for the assessment of bacterial viability *L. Birch, C.E. Dawson, J.H. Cornett & J.T. Keer*

302 RAPD profile and antibiotic susceptibility of *Xylella fastidiosa*, causal agent of citrus variegated chlorosis *P.T. Lacava, W.L. Araújo, W. Maccheroni Jr. & J.L. Azevedo*

307 DNA extraction method for PCR in mycorrhizal fungi *S. Manian, S. Sreenivasaprasad & P.R. Mills*

311 Influence of phage population on the phage-mediated bioluminescent adenylate kinase (AK) assay for detection of bacteria *Y. Wu, L. Brovko & M.W. Griffiths*

316 Violacein biotransformation by basidiomycetes and bacteria *N. Bromberg & N Durán*

320 The differential adherence capabilities of two *Listeria monocytogenes* strains in monoculture and multispecies biofilms as a function of temperature *D.E. Norwood & A. Gilmour*

325 Improved antimicrobial activity of nisin-incorporated polymer films by formulation change and addition of food grade chelator *C.N. Cutter, J.L. Willett & G.R. Siragusa*

Volume 33, Issue 5, November 2001

329 Adaptation of an [3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyl tetrazolium bromide] assay to evaluate the cytotoxicity of the extracellular products of micro-organisms pathogenic to fish *I. Zorrilla, M.C. Balebona & M.A. Morinñigo*

334 Detection of Shiga-toxigenic *Escherichia coli* (STEC) in fresh seafood and meat marketed in Mangalore, India by PCR *H. Sanath Kumar, S.K. Otta, I. Karunasagar & I. Karunasagar*

339 Formation of guaiacol in chocolate milk by the psychrotrophic bacterium *Rahnella aquatilis N. Jensen, P. Varelis & F.B. Whitfield*

344 A rapid, non-destructive method for the determination of *Staphylococcus epidermidis* adhesion to surfaces using quartz crystal resonant sensor technology *K.D. Pavey, L.-M. Barnes, G.W. Hanlon, C.J. Olliff, Z. Ali & F. Paul*

349 Bactericidal activity of citrate against Gram-positive cocci *Y.-L. Lee, L. Thrupp, J. Owens, T. Cesario & E. Shanbrom*

352 Optimal growth temperature of O157 and non-O157 *Escherichia coli* strains *A. Gonthier, V. Guérin-Faublée, B. Tilly & M.-L. Delignette-Muller*

357 The effect of inoculum size and sublethal injury on the ability of *Listeria monocytogenes* to initiate growth under suboptimal conditions *C. Pascual, T.P. Robinson, M.J. Ocio, O.O. Aboaba & B.M. Mackey*

362 Detecting the presence of infectious hepatitis A virus in molluscs positive to RT-nested-PCR *D. De Medici, L. Croci, S. Di Pasquale, A. Fiore & L. Toti*

367 Production of γ-linolenic acid by *Mortierella isabellina* grown on hexadecanol *M. Xian, J. Yan, Y. Kang, J. Liu, Y. Bi & K. Zhen*

371 Decimal reduction times of *Pyrodinium bahamense* var. *compressum* and *Escherichia coli* in chlorine- and ultraviolet-treated seawater *M.P.V. Azanza, R.V. Azanza, A.I. Gedaria, H.G. Sententa & M.V. Idjao*

377 Rapid identification of *Lactobacillus brevis* using the polymerase chain reaction *T. Guarneri, L. Rossetti & G. Giraffa*

382 Antimicrobial susceptibility of staphylococci isolated from the faeces of wild turkeys (*Meleagris gallopavo*) *L.R. DeBoer, D.M. Slaughter, R.D. Applegate, R.J. Sobieski & S.S. Crupper*

387 Evaluation of a spray-dried lacticin 3147 powder for the control of *Listeria monocytogenes* and *Bacillus cereus* in a range of food systems *S.M. Morgan, M. Galvin, R.P. Ross & C. Hill*

392 Evaluation of a biochemical test scheme for identifying clinical isolates of *Enterococcus faecalis* and *Enterococcus faecium A.M. Day, J.A.T. Sandoe, J.H. Cove & M.K. Phillips-Jones*

397 Identification of *F.o. cucumerinum* and *F.o. luffae* by RAPD-generated probes *P.-H. Wang, H.S. Lo & Y. Yeh*

402 Corrigendum

Volume 33, Issue 6, December 2001

403 Fluorogenic substrates for the detection of microbial nitroreductases *A.L. James, J.D. Perry, C. Jay, D. Monget, J.W. Rasburn & F.K. Gould*

409 The use of cadmium resistance on the phage-resistance plasmid pNP40 facilitates selection for its horizontal transfer to industrial dairy starter lactococci *M. Trotter, S. Mills, R.P. Ross, G.F. Fitzgerald & A. Coffey*

415 The effect of volatile fatty acids in acidified fermented piggery effluent on shiga-toxigenic and non-toxic resident strains of *Escherichia coli I. Harris, D.P. Henry & A. Frost*

420 Combined use of *Lactobacillus reuteri* and soygerm powder as food supplement *P. De Boever, R. Wouters & W. Verstraete*

425 An empirical model for describing the effects of nitrogen sources on nisin production *M.L. Cabo, M.A. Murado, M^{a}P. Gonzalez, J.A. Vazquez & L. Pastoriza*

430 Susceptibility of *Arcobacter butzleri* isolates to 23 antimicrobial agents *H.I. Atabay & F. Aydin*

434 The microbiological examination of ready-to-eat organic vegetables from retail establishments in the United Kingdom *S.K. Sagoo, C.L. Little & R.T. Mitchell*

440 Identifying an interfering factor on chemical oxygen demand (COD) determination in piggery wastewater and eliminating the factor by an indigenous *Pseudomonas stutzeri* strain *J.-J. Su, B.-Y. Liu & Y.-C. Chang*

445 A rapid and sensitive method for the detection of *Yersinia enterocolitica* strains from clinical samples *H.M. Hussein, S.G. Fenwick & J.S. Lumsden*

450 Incidence of *Campylobacter* and *Salmonella* isolated from retail chicken and associated packaging in South Wales *W.A. Harrison, C.J. Griffith, D. Tennant & A.C. Peters*

455 Grazing rates of diverse morphotypes of bacterivorous ciliates feeding on four allochthonous bacteria *B. Ayo, E. Santamaría, A. Latatu, I. Artolozaga, I. Azúa & J. Iriberri*

461 Detection, distribution and selection of microsatellites (SSRs) in the genome of the yeast *Saccharomyces cerevisiae* as molecular markers *M.A. Pérez, F.J. Gallego, I. Martínez & P. Hidalgo*

467 Index